

The Dynare Macro-processor

Dynare Summer School 2014

Sébastien Villemot

CEPREMAP

June 10, 2014

Outline

- 1 Overview
- 2 Syntax
- 3 Typical usages

Outline

- 1 Overview
- 2 Syntax
- 3 Typical usages


Motivation

- The **Dynare language** (used in MOD files) is well suited for many economic models
- However, as such, it lacks some useful features, such as:
 - ▶ a loop mechanism for automatically repeating similar blocks of equations (such as in multi-country models)
 - ▶ an operator for indexed sums or products inside equations
 - ▶ a mechanism for splitting large MOD files in smaller modular files
 - ▶ the possibility of conditionally including some equations or some runtime commands
- The **Dynare Macro-language** was specifically designed to address these issues
- Being flexible and fairly general, it can also be helpful in other situations

Design of the macro-language

- The Dynare Macro-language provides a new set of **macro-commands** which can be inserted inside MOD files
- Language features include:
 - ▶ file inclusion
 - ▶ loops (*for* structure)
 - ▶ conditional inclusion (*if/else* structures)
 - ▶ expression substitution
- Implemented in Dynare starting from version 4.0
- The macro-processor transforms a MOD file with macro-commands into a MOD file without macro-commands (doing text expansions/inclusions) and then feeds it to the Dynare parser
- The key point to understand is that the macro-processor only does **text substitution** (like the C preprocessor or the PHP language)

Design of Dynare



Outline

- 1 Overview
- 2 Syntax**
- 3 Typical usages

Macro Directives

- Directives begin with an at-sign followed by a pound sign (@#)
- A directive produces no output, but gives instructions to the macro-processor
- Main directives are:
 - ▶ file inclusion: `@#include`
 - ▶ definition a variable of the macro-processor: `@#define`
 - ▶ conditional statements (`@#if/@#ifdef/@#ifndef/@#else/@#endif`)
 - ▶ loop statements (`@#for/@#endfor`)
- In most cases, directives occupy exactly one line of text. In case of need, two anti-slashes (`\\`) at the end of the line indicates that the directive is continued on the next line.

Inclusion directive

- This directive simply includes the content of another file at the place where it is inserted.

Syntax

```
@#include "filename"
```

Example

```
@#include "modelcomponent.mod"
```

- Exactly equivalent to a copy/paste of the content of the included file
- Note that it is possible to nest includes (*i.e.* to include a file from an included file)

Variables

- The macro processor maintains its own list of variables (distinct of model variables and of MATLAB variables)
- Macro-variables can be of four types:
 - ▶ integer
 - ▶ character string (declared between *double* quotes)
 - ▶ array of integers
 - ▶ array of strings
- No boolean type:
 - ▶ false is represented by integer zero
 - ▶ true is any non-null integer

Macro-expressions (1/2)

It is possible to construct macro-expressions, using standard operators.

Operators on integers

- arithmetic operators: `+` `-` `*` `/`
- comparison operators: `<` `>` `<=` `>=` `==` `!=`
- logical operators: `&&` `||` `!`
- integer ranges: `1:4` is equivalent to integer array `[1,2,3,4]`

Operators on character strings

- comparison operators: `==` `!=`
- concatenation: `+`
- extraction of substrings: if `s` is a string, then one can write `s[3]` or `s[4:6]`

Macro-expressions (2/2)

Operators on arrays

- dereferencing: if v is an array, then $v[2]$ is its 2nd element
- concatenation: +
- difference -: returns the first operand from which the elements of the second operand have been removed
- extraction of sub-arrays: e.g. $v[4:6]$
- testing membership of an array: `in` operator
(example: "b" `in` ["a", "b", "c"] returns 1)

Macro-expressions can be used at two places:

- inside macro directives, directly
- in the body of the MOD file, between an at-sign and curly braces (like `@{expr}`): the macro processor will substitute the expression with its value

Define directive

The value of a macro-variable can be defined with the `@#define` directive.

Syntax

```
@#define variable_name = expression
```

Examples

```
@#define x = 5                // Integer
#define y = "US"             // String
#define v = [ 1, 2, 4 ]     // Integer array
#define w = [ "US", "EA" ] // String array
#define z = 3 + v[2]        // Equals 5
#define t = ("US" in w)     // Equals 1 (true)
```

Expression substitution

Dummy example

Before macro-processing

```
@#define x = [ "B", "C" ]  
@#define i = 2  
  
model;  
    A = @{x[i]};  
end;
```

After macro-processing

```
model;  
    A = C;  
end;
```

Loop directive

Syntax

```
@#for variable_name in array_expr  
    loop_body  
@#endfor
```

Example: before macro-processing

```
model;  
@#for country in [ "home", "foreign" ]  
    GDP_{country} = A * K_{country}^a * L_{country}^(1-a);  
@#endfor  
end;
```

Example: after macro-processing

```
model;  
    GDP_home = A * K_home^a * L_home^(1-a);  
    GDP_foreign = A * K_foreign^a * L_foreign^(1-a);  
end;
```

Conditional inclusion directives (1/2)

Syntax 1

```
@#if integer_expr  
    body included if expr != 0  
@#endif
```

Syntax 2

```
@#if integer_expr  
    body included if expr != 0  
@#else  
    body included if expr == 0  
@#endif
```

Example: alternative monetary policy rules

```
@#define linear_mon_pol = 0 // or 1  
...  
model;  
@#if linear_mon_pol  
     $i = w*i(-1) + (1-w)*i_{ss} + w2*(\pi - \pi_{star});$   
@#else  
     $i = i(-1)^w * i_{ss}^{(1-w)} * (\pi/\pi_{star})^w;$   
@#endif  
...  
end;
```


Conditional inclusion directives (2/2)

Syntax 1

```
@#ifdef variable_name  
    body included if variable  
defined  
@#endif
```

Syntax 2

```
@#ifdef variable_name  
    body included if variable  
defined  
@#else  
    body included if variable not  
defined  
@#endif
```

There is also `@#ifndef`, which is the opposite of `@#ifdef` (*i.e.* it tests whether a variable is *not* defined).

Echo and error directives

- The echo directive will simply display a message on standard output
- The error directive will display the message and make Dynare stop (only makes sense inside a conditional inclusion directive)

Syntax

```
@#echo string_expr
```

```
@#error string_expr
```

Examples

```
@#echo "Information message."
```

```
@#error "Error message!"
```

Saving the macro-expanded MOD file

- For **debugging or learning** purposes, it is possible to save the output of the macro-processor
- This output is a valid MOD file, obtained after processing the macro-commands of the original MOD file
- Just add the `savemacro` option on the Dynare command line (after the name of your MOD file)
- If MOD file is `filename.mod`, then the macro-expanded version will be saved in `filename-macroexp.mod`
- You can specify the filename for the macro-expanded version with the syntax `savemacro=mymacroexp.mod`

Outline

- 1 Overview
- 2 Syntax
- 3 Typical usages**

Modularization

- The `@#include` directive can be used to split MOD files into several modular components
- Example setup:
 - `modeldesc.mod`: contains variable declarations, model equations and shocks declarations
 - `simulate.mod`: includes `modeldesc.mod`, calibrates parameters and runs stochastic simulations
 - `estim.mod`: includes `modeldesc.mod`, declares priors on parameters and runs bayesian estimation
- Dynare can be called on `simulate.mod` and `estim.mod`
- But it makes no sense to run it on `modeldesc.mod`
- Advantage: no need to manually copy/paste the whole model (at the beginning) or changes to the model (during development)

Indexed sums or products

Example: moving average

Before macro-processing

```
@#define window = 2

var x MA_x;
...
model;
...
MA_x = 1/@{2*window+1}*(
    @#for i in -window:window
        +x(@{i})
    @#endfor
);

...
end;
```

After macro-processing

```
var x MA_x;
...
model;
...
MA_x = 1/5*(
    +x(-2)
    +x(-1)
    +x(0)
    +x(1)
    +x(2)
);

...
end;
```

Multi-country models

MOD file skeleton example

```
@#define countries = [ "US", "EA", "AS", "JP", "RC" ]
@#define nth_co = "US"

@#for co in countries
var Y_{co} K_{co} L_{co} i_{co} E_{co} ...;
parameters a_{co} ...;
varexo ...;
@#endfor

model;
@#for co in countries
  Y_{co} = K_{co}^a_{co} * L_{co}^{(1-a_{co})};
  ...
@# if co != nth_co
  (1+i_{co}) = (1+i_{nth_co}) * E_{co}(+1) / E_{co}; // UIP relation
@# else
  E_{co} = 1;
@# endif
@#endfor
end;
```

Endogeneizing parameters (1/4)

- When doing the steady-state calibration of the model, it may be useful to consider a parameter as an endogenous (and vice-versa)
- Example:

$$y = \left(\alpha^{\frac{1}{\xi}} \ell^{1-\frac{1}{\xi}} + (1 - \alpha)^{\frac{1}{\xi}} k^{1-\frac{1}{\xi}} \right)^{\frac{\xi}{\xi-1}}$$
$$lab_rat = \frac{w\ell}{py}$$

- In the model, α is a (share) parameter, and lab_rat is an endogenous variable
- We observe that:
 - ▶ calibrating α is not straightforward!
 - ▶ on the contrary, we have real world data for lab_rat
 - ▶ it is clear that these two variables are economically linked

Endogeneizing parameters (2/4)

- Therefore, when computing the steady state:
 - ▶ we make α an endogenous variable and *lab_rat* a parameter
 - ▶ we impose an economically relevant value for *lab_rat*
 - ▶ the solution algorithm deduces the implied value for α
- We call this method “variable flipping”

Endogeneizing parameters (3/4)

Example implementation

- File `modeqs.mod`:
 - ▶ contains variable declarations and model equations
 - ▶ For declaration of `alpha` and `lab_rat`:

```
@#if steady
  var alpha;
  parameter lab_rat;
@#else
  parameter alpha;
  var lab_rat;
@#endif
```

Endogeneizing parameters (4/4)

Example implementation

- File `steadystate.mod`:
 - ▶ begins with `@#define steady = 1`
 - ▶ then with `@#include "modeqs.mod"`
 - ▶ initializes parameters (including `lab_rat`, excluding `alpha`)
 - ▶ computes steady state (using guess values for endogenous, including `alpha`)
 - ▶ saves values of parameters and endogenous at steady-state in a file, using the `save_params_and_steady_state` command
- File `simulate.mod`:
 - ▶ begins with `@#define steady = 0`
 - ▶ then with `@#include "modeqs.mod"`
 - ▶ loads values of parameters and endogenous at steady-state from file, using the `load_params_and_steady_state` command
 - ▶ computes simulations

MATLAB loops vs macro-processor loops (1/3)

Suppose you have a model with a parameter ρ , and you want to make simulations for three values: $\rho = 0.8, 0.9, 1$. There are several ways of doing this:

With a MATLAB loop

```
rhos = [ 0.8, 0.9, 1];  
for i = 1:length(rhos)  
    rho = rhos(i);  
    stoch_simul(order=1);  
end
```

- The loop is not unrolled
- MATLAB manages the iterations
- Interesting when there are a lot of iterations

MATLAB loops vs macro-processor loops (2/3)

With a macro-processor loop (case 1)

```
rhos = [ 0.8, 0.9, 1];  
@#for i in 1:3  
    rho = rhos(@{i});  
    stoch_simul(order=1);  
@#endfor
```

- Very similar to previous example
- Loop is unrolled
- Dynare macro-processor manages the loop index but not the data array (rhos)

MATLAB loops vs macro-processor loops (3/3)

With a macro-processor loop (case 2)

```
@#for rho_val in [ "0.8", "0.9", "1"]  
    rho = @{rho_val};  
    stoch_simul(order=1);  
@#endfor
```

- Advantage: shorter syntax, since list of values directly given in the loop construct
- Note that values are given as character strings (the macro-processor does not know floating point values)
- Inconvenient: can not reuse an array stored in a MATLAB variable